

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 June 2005 (30.06.2005)

PCT

(10) International Publication Number
WO 2005/059515 A2

(51) International Patent Classification⁷: **G01N**
(21) International Application Number:
PCT/US2004/042255
(22) International Filing Date:
16 December 2004 (16.12.2004)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/529,833 16 December 2003 (16.12.2003) US
(71) Applicant (for all designated States except US): **CHILDREN'S MEDICAL CENTER CORPORATION**
[US/US]; 55 Shattuck Street, Boston, MA 02115 (US).
(72) Inventors; and
(75) Inventors/Applicants (for US only): **BENOWITZ,**

Larry, I. [US/US]; 45 Moreland Avenue, Newton, MA 02159 (US). **FISCHER, Dietmar** [DE/US]; Wannemacher Strasse 22, 89160 Dornstadt-Tomerdingen (DE).


(74) Agents: **RESNICK, David, S.** et al.; Nixon Peabody LLP, 100 Summer Street, Boston, MA 02110-2131 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

(54) Title: METHOD FOR TREATING NEUROLOGICAL DISORDERS



A



B

(57) Abstract: The present invention is based on the discovery that suppressing the activity of the Nogo receptor (NgR) alone does not result in extensive axon regeneration unless the intrinsic growth program of neurons is also activated. Accordingly, the present invention is directed to methods of stimulating axon regeneration using a combination therapy wherein agents that inhibit NgR activity or downstream pathways activated by inhibitory signals are combined with agents that activate the growth pathway of neurons (e.g. polypeptide growth factors, activators of macrophages, purine nucleosides, or hexoses).

BEST AVAILABLE COPY



ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*